

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	49	Hash\$3 same (source client first local) with (id identifier indicator) with (resource cpu processor) and (second server second remote destination target) with (id identifier indicator) with (resource cpu processor) and request\$3 same (reply respon\$4) and (@ad>"20001129" @rlad>"20001129")	US-PGPUB; USPAT	OR	ON	2006/01/09 08:26
L7	10	Hash\$3 same (source client first local) with (id identifier indicator) with (resource cpu processor) same (second server second remote destination target) with (id identifier indicator) with (resource cpu processor) same request\$3 same (reply respon\$4) and (@ad>"20001129" @rlad>"20001129")	US-PGPUB; USPAT	OR	ON	2006/01/09 08:26
L8	28	Hash\$3 same (source client first local) with (id identifier indicator) with (resource cpu processor) and (second server second remote destination target) with (id identifier indicator) with (resource cpu processor) and request\$3 same (reply respon\$4) and (@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT	OR	ON	2006/01/09 08:27
L9	11	Hash\$3 same (source client first local) adj3 (resource cpu processor)with (id identifier indicator) and (second server second remote destination target) adj3 (resource cpu processor) with (id identifier indicator) and request\$3 same (reply respon\$4) and (@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT	OR	ON	2006/01/09 08:29
L10	1	Hash\$3 same cach\$3.ab. and (source client first local) adj3 (resource cpu processor)with (id identifier indicator) and (second server remote destination target) adj3 (resource cpu processor) with (id identifier indicator) and (@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT	OR	ON	2006/01/09 08:45

L11	3	Hash\$3 with creat\$3 and cach\$3 and (source client first local) adj3 (resource cpu processor)with (id identifier indicator) and (second server remote destination target) adj3 (resource cpu processor) with (id identifier indicator) and (@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT	OR	ON	2006/01/09 08:50
L12	10	Hash\$3 near5 (generat\$3 creat\$3 eastablish\$3 issu\$3 initial\$5) and cach\$3 and (source client first local) adj3 (resource cpu processor) with (id identifier indicator) and (second server remote destination target) adj3 (resource cpu processor) with (id identifier indicator) and (@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT	OR	ON	2006/01/09 09:52
L14	10	12 and (index\$3 structure verif\$4 compar\$5 match\$3 map\$4 key list portion table fuction)	US-PGPUB; USPAT	OR	ON	2006/01/09 09:21
L15	3	12 and (index\$3 and structure) and (verif\$4 compar\$5 match\$3 map\$4) and (key list portion table function)	US-PGPUB; USPAT	OR	ON	2006/01/09 09:51
L16	3	12 and (index\$3 and structure) and (verif\$4 compar\$5 match\$3 map\$4) and hash\$3 same (key list portion table function)	US-PGPUB; USPAT	OR	ON	2006/01/09 09:51
L17	6	(index\$3 and structure) and (verif\$4 compar\$5 match\$3 map\$4) and hash\$3 same (key list portion table function) same (generat\$3 creat\$3 eastablish\$3 issu\$3 initial\$5) and cach\$3 and (source client first local) adj3 (resource cpu processor) with (id identifier indicator) and (second server remote destination target) adj3 (resource cpu processor) with (id identifier indicator) and (@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT	OR	ON	2006/01/09 10:03

L18	1	(index\$3 and structure) and (verif\$4 compar\$5 match\$3 map\$4) and hash\$3 same (key list portion table function) same (generat\$3 creat\$3 eastablish\$3 issu\$3 initial\$5) same (source client first local) adj3 (resource cpu processor) with (id identifier indicator) same (second server remote destination target) adj3 (resource cpu processor) with (id identifier indicator) and (@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT	OR	ON	2006/01/09 10:04
-----	---	--	--------------------	----	----	------------------